


IAPMO RESEARCH AND TESTING, INC.

5001 E. Philadelphia Street, Ontario, CA 91761-2816 • (909) 472-4100 • Fax (909) 472-4244 • www.iapmort.org



IAPMO R&T Product Listing



This IAPMO R&T Listing is current as of 12/2/2020

Product: Drinking Water Treatment Systems File No. W-12269

Issued To: WATERLOGIC INTERNATIONAL LTD
 1 GRENFELL ROAD
 MAIDENHEAD, XX BERKSHIRESL6 1HN
 UNITED KINGDOM

Identification: The product shall be permanently marked with the manufacturer's name or trademark. The product shall also bear the model designation, claims verified and substantiated by test data and the cUPC certification mark.

Drinking water treatment systems or components shall be marked with
 (a) the manufacturer's recognized name, trademark, or other mark; or
 (b) in the case of private labelling, the name, trademark, or other mark of the customer for whom the fitting was manufactured. Markings shall be made by a permanent mark or a permanent label and shall be visible after installation.
 When it is impractical to affix the information specified in Items (a) and (b) directly to the product, the information shall be included in the literature accompanying the product.

Characteristics: The point-of-use and point-of-entry systems addressed by this Standard are designed to be used for the reduction of specific substances that may be present in drinking water (public or private) which are considered health hazards.

Certification demonstrates that all materials safety and structural integrity (as applicable) requirements have been met.

To be used in accordance with the manufacturer's instructions. Mark can only be used if product is already certified with IAPMO R&T to a standard cited in the current revision of the Uniform Plumbing Code.

Products listed on this certificate have been tested by an IAPMO R&T recognized laboratory. This recognition has been granted based upon the laboratory's compliance to the applicable requirements of ISO/IEC 17025.

Products are in compliance with the following standard(s):

CSA B483.1-2007 (R2017) including Update No.1 dated June 2007, Update No.2 dated December 2007 and Update No. 3 dated June 2017

Product Type: Point of Use

<u>Brand Name</u>	<u>Model Number</u>	<u>Replacement Component</u>	<u>Capacity (Gallons)</u>	<u>Flow Rate (GPM)</u>	<u>Reduction Claims</u>
infiniti	IIHCRC	N/A	N/A	N/A	N/A
infiniti	IIHCRC-UV	N/A	N/A	N/A	N/A
infiniti	IIMHCRC	N/A	N/A	N/A	N/A
infiniti	IIMHCRC-UV	N/A	N/A	N/A	N/A
WL2000DC /	WL2000DC /	N/A	N/A	N/A	N/A

WL2200DC	WL2200DC ⁴				
WL2000IT	WL2000IT ⁴	N/A	N/A	N/A	N/A
WL250	12-CCU3	N/A	N/A	N/A	N/A
WL250	12-CHCMU3-XXX ⁶	N/A	N/A	N/A	N/A
WL250	12-CHCU3-XXX ⁵	N/A	N/A	N/A	N/A
N/A	WL2200-XXX ⁴	N/A	N/A	N/A	N/A
N/A	WL2500 ⁴	N/A	N/A	N/A	N/A
WL1000GF/19-GU- XXX	19-GU-XXX ²	N/A	N/A	N/A	N/A
WL1000GF/19-GU- XXX	WL1000GF	N/A	N/A	N/A	N/A
Firewall 2	Firewall 2 ⁷	CT-2085-X	2000	0.42	Class A Disinfection, Bacteria, Virus, Cyst
Firewall 4	Firewall 4 ⁷	CT-2090-X	2000	0.42	Class A Disinfection, Bacteria, Virus, Cyst
WL2 FX	WL2 FL FX C ⁷	FT-0030-OM-XXX, CT-2085-X	2500	0.42	Aesthetic Chlorine, Nominal Particulate Class I, Taste and Odor, Asbestos, Cyst, Class A Disinfection, Bacteria, Virus
WL2 FX	WL2 FL FX C ⁷	FT-0032-OM-XXX, CT-2085-X	2000	0.42	Aesthetic Chlorine, Taste and Odor, Class A Disinfection, Bacteria, Virus
WL2 FX	WL2 FL FX C ⁷	FT-0061-OM-XXX, CT-2085-X	1250	0.42	Aesthetic Chlorine, Nominal Particulate Class I, Taste and Odor, Asbestos, Cyst, Lead, Class A Disinfection, Bacteria, Virus
WL2 FX	WL2 FL FX CA ⁷	FT-0030-OM-XXX, CT-2085-X	2500	0.42	Aesthetic Chlorine, Nominal Particulate Class I, Taste and Odor, Asbestos, Cyst, Class A Disinfection, Bacteria, Virus
WL2 FX	WL2 FL FX CA ⁷	FT-0032-OM-XXX, CT-2085-X	2000	0.42	Aesthetic Chlorine, Taste and Odor, Class A Disinfection, Bacteria, Virus
WL2 FX	WL2 FL FX CA ⁷	FT-0061-OM-XXX, CT-2085-X	1250	0.42	Aesthetic Chlorine, Nominal Particulate Class I, Taste and Odor, Asbestos, Cyst, Lead, Class A Disinfection, Bacteria, Virus
WL2 FX	WL2 FL FX HC ⁷	FT-0030-OM-XXX, CT-2085-X	2500	0.42	Aesthetic Chlorine, Nominal Particulate Class I, Taste and Odor, Asbestos, Cyst, Class A Disinfection, Bacteria, Virus
WL2 FX	WL2 FL FX HC ⁷	FT-0032-OM-XXX, CT-2085-X	2000	0.42	Aesthetic Chlorine, Taste and Odor, Class A Disinfection, Bacteria, Virus
WL2 FX	WL2 FL FX HC ⁷	FT-0061-OM-XXX, CT-2085-X	1250	0.42	Aesthetic Chlorine, Nominal Particulate Class I, Taste and Odor, Asbestos, Cyst, Lead, Class A Disinfection, Bacteria, Virus
WL2 FX	WL2 FL FX MC ⁷	FT-0030-OM-XXX, CT-2085-X	2500	0.42	Aesthetic Chlorine, Nominal Particulate Class I, Taste and Odor,

					Asbestos, Cyst, Class A Disinfection, Bacteria, Virus
WL2 FX	WL2 FL FX MC ⁷	FT-0032-OM-XXX, CT-2085-X	2000	0.42	Aesthetic Chlorine, Taste and Odor, Class A Disinfection, Bacteria, Virus
WL2 FX	WL2 FL FX MC ⁷	FT-0061-OM-XXX, CT-2085-X	1250	0.42	Aesthetic Chlorine, Nominal Particulate Class I, Taste and Odor, Asbestos, Cyst, Lead, Class A Disinfection, Bacteria, Virus
WL2 FX	WL2 FL FX MCA ⁷	FT-0030-OM-XXX, CT-2085-X	2500	0.42	Aesthetic Chlorine, Nominal Particulate Class I, Taste and Odor, Asbestos, Cyst, Class A Disinfection, Bacteria, Virus
WL2 FX	WL2 FL FX MCA ⁷	FT-0032-OM-XXX, CT-2085-X	2000	0.42	Aesthetic Chlorine, Taste and Odor, Class A Disinfection, Bacteria, Virus
WL2 FX	WL2 FL FX MCA ⁷	FT-0061-OM-XXX, CT-2085-X	1250	0.42	Aesthetic Chlorine, Nominal Particulate Class I, Taste and Odor, Asbestos, Cyst, Lead, Class A Disinfection, Bacteria, Virus
WL2 FX	WL2 FL FX MHC ⁷	FT-0030-OM-XXX, CT-2085-X	2500	0.42	Aesthetic Chlorine, Nominal Particulate Class I, Taste and Odor, Asbestos, Cyst, Class A Disinfection, Bacteria, Virus
WL2 FX	WL2 FL FX MHC ⁷	FT-0032-OM-XXX, CT-2085-X	2000	0.42	Aesthetic Chlorine, Taste and Odor, Class A Disinfection, Bacteria, Virus
WL2 FX	WL2 FL FX MHC ⁷	FT-0061-OM-XXX, CT-2085-X	1250	0.42	Aesthetic Chlorine, Nominal Particulate Class I, Taste and Odor, Asbestos, Cyst, Lead, Class A Disinfection, Bacteria, Virus
WL2 FX	WL2 FX C ⁷	FT-0030-OM-XXX, CT-2085-X	2500	0.42	Aesthetic Chlorine, Nominal Particulate Class I, Taste and Odor, Asbestos, Cyst, Class A Disinfection, Bacteria, Virus
WL2 FX	WL2 FX C ⁷	FT-0032-OM-XXX, CT-2085-X	2000	0.42	Aesthetic Chlorine, Taste and Odor, Class A Disinfection, Bacteria, Virus
WL2 FX	WL2 FX C ⁷	FT-0061-OM-XXX, CT-2085-X	1250	0.42	Aesthetic Chlorine, Nominal Particulate Class I, Taste and Odor, Asbestos, Cyst, Lead, Class A Disinfection, Bacteria, Virus
WL2 FX	WL2 FX CA ⁷	FT-0030-OM-XXX, CT-2085-X	2500	0.42	Aesthetic Chlorine, Nominal Particulate Class I, Taste and Odor, Asbestos, Cyst, Class A Disinfection, Bacteria, Virus
WL2 FX	WL2 FX CA ⁷	FT-0032-OM-XXX, CT-2085-X	2000	0.42	Aesthetic Chlorine, Taste and Odor, Class A Disinfection, Bacteria, Virus

WL2 FX	WL2 FX CA 7	FT-0061-OM- XXX, CT-2085-X	1250	0.42	Aesthetic Chlorine, Nominal Particulate Class I, Taste and Odor, Asbestos, Cyst, Lead, Class A Disinfection, Bacteria, Virus
WL2 FX	WL2 FX HC 7	FT-0061-OM- XXX, CT-2085-X	1250	0.42	Aesthetic Chlorine, Nominal Particulate Class I, Taste and Odor, Asbestos, Cyst, Lead, Class A Disinfection, Bacteria, Virus
WL2 FX	WL2 FX HC 7	FT-0030-OM- XXX, CT-2085-X	2500	0.42	Aesthetic Chlorine, Nominal Particulate Class I, Taste and Odor, Asbestos, Cyst, Class A Disinfection, Bacteria, Virus
WL2 FX	WL2 FX HC 7	FT-0032-OM- XXX, CT-2085-X	2000	0.42	Aesthetic Chlorine, Taste and Odor, Class A Disinfection, Bacteria, Virus
WL2 FX	WL2 FX MC 7	FT-0030-OM- XXX, CT-2085-X	2500	0.42	Aesthetic Chlorine, Nominal Particulate Class I, Taste and Odor, Asbestos, Cyst, Class A Disinfection, Bacteria, Virus
WL2 FX	WL2 FX MC 7	FT-0032-OM- XXX, CT-2085-X	2000	0.42	Aesthetic Chlorine, Taste and Odor, Class A Disinfection, Bacteria, Virus
WL2 FX	WL2 FX MC 7	FT-0061-OM- XXX, CT-2085-X	1250	0.42	Aesthetic Chlorine, Nominal Particulate Class I, Taste and Odor, Asbestos, Cyst, Lead, Class A Disinfection, Bacteria, Virus
WL2 FX	WL2 FX MCA 7	FT-0030-OM- XXX, CT-2085-X	2500	0.42	Aesthetic Chlorine, Nominal Particulate Class I, Taste and Odor, Asbestos, Cyst, Class A Disinfection, Bacteria, Virus
WL2 FX	WL2 FX MCA 7	FT-0032-OM- XXX, CT-2085-X	2000	0.42	Aesthetic Chlorine, Taste and Odor, Class A Disinfection, Bacteria, Virus
WL2 FX	WL2 FX MCA 7	FT-0061-OM- XXX, CT-2085-X	1250	0.42	Aesthetic Chlorine, Nominal Particulate Class I, Taste and Odor, Asbestos, Cyst, Lead, Class A Disinfection, Bacteria, Virus
WL2 FX	WL2 FX MHC 7	FT-0030-OM- XXX, CT-2085-X	2500	0.42	Aesthetic Chlorine, Nominal Particulate Class I, Taste and Odor, Asbestos, Cyst, Class A Disinfection, Bacteria, Virus
WL2 FX	WL2 FX MHC 7	FT-0032-OM- XXX, CT-2085-X	2000	0.42	Aesthetic Chlorine, Taste and Odor, Class A Disinfection, Bacteria, Virus
WL2 FX	WL2 FX MHC 7	FT-0061-OM- XXX, CT-2085-X	1250	0.42	Aesthetic Chlorine, Nominal Particulate Class I, Taste and Odor, Asbestos, Cyst, Lead, Class A Disinfection, Bacteria, Virus
WL2 FX	12-CHCFW3-YYY 7	FT-0061-OM-	1250	0.42	Aesthetic Chlorine,

		XXX, CT-2085-X			Nominal Particulate Class I, Taste and Odor, Asbestos, Cyst, Lead, Class A Disinfection, Bacteria, Virus
WL2 FX	12-CHCMFW3-YYY 7	FT-0030-OM-XXX, CT-2085-X	2500	0.42	Aesthetic Chlorine, Nominal Particulate Class I, Taste and Odor, Asbestos, Cyst, Class A Disinfection, Bacteria, Virus
Waterlogic 10" GAC	FT-0035-IL-XXX 1	FT-0038-XXX	2000	0.5	Aesthetic Chlorine, Taste and Odor
Waterlogic 10" 1 Micron CBC	FT-0030-OM-XXX 1	FT-0036-XXX	2500	0.5	Aesthetic Chlorine, Nominal Particulate Class I, Taste and Odor, Asbestos, Cyst
Waterlogic 10" 1 Micron CBC	FT-0030-YW-XXX 1	FT-0036-XXX	2500	0.5	Aesthetic Chlorine, Nominal Particulate Class I, Taste and Odor, Asbestos, Cyst
Waterlogic 10" 1 Micron CBC	FT-0034-IL-XXX 1	FT-0036-XXX	2500	0.5	Aesthetic Chlorine, Nominal Particulate Class I, Taste and Odor, Asbestos, Cyst
Waterlogic 10" GAC	FT-0032-OM-XXX 1	FT-0038-XXX	2000	0.5	Aesthetic Chlorine, Taste and Odor
Waterlogic 10" GAC	FT-0032-YW-XXX 1	FT-0038-XXX	2000	0.5	Aesthetic Chlorine, Taste and Odor
Waterlogic CICO 10" CBC	FT-0004-L00-XXX	FT-0036-XXX	2500	0.5	Aesthetic Chlorine, Nominal Particulate Class I, Taste and Odor, Asbestos, Cyst
Waterlogic CICO 10" CBC	FT-0006-L00-XXX	FT-0064-XXX	1250	0.5	Aesthetic Chlorine, Nominal Particulate Class I, Taste and Odor, Asbestos, Cyst, Lead
Waterlogic CICO 10" CBC	FT-0005-L00-XXX	FT-0038-XXX	2000	0.5	Aesthetic Chlorine, Taste and Odor
Waterlogic CICO CBC 10" 10 micron Filter Assembly	FT-0001-L00-XXX 1,3	FT-0007-XXX	2500	0.5	Aesthetic Chlorine, Nominal Particulate Class III, Taste and Odor
Waterlogic 1 micron 10" CBC Lead Reduction Filter	FT-0061-OM-XXX 1	FT-0064-XXX	1250	0.5	Aesthetic Chlorine, Nominal Particulate Class I, Taste and Odor, Asbestos, Cyst, Lead
Waterlogic 1 micron 10" CBC Lead Reduction Filter	FT-0061-YW-XXX 1	FT-0064-XXX	1250	0.5	Aesthetic Chlorine, Nominal Particulate Class I, Taste and Odor, Asbestos, Cyst, Lead
Waterlogic 1 micron 10" CBC Lead Reduction Filter	FT-0063-IL-XXX 1	FT-0064-XXX	1250	0.5	Aesthetic Chlorine, Nominal Particulate Class I, Taste and Odor, Asbestos, Cyst, Lead
Waterlogic 10" CBC 1 micron Cyst Reduction and Scale Inhibitor Filter	FT-PP04-L00-XXX 1	FT-PP36-XXX	2500	0.5	Aesthetic Chlorine, Nominal Particulate Class I, Taste and Odor, Asbestos, Cyst
Waterlogic 10" CBC 1 micron Cyst Reduction and Scale Inhibitor Filter	FT-PP30-OM-XXX 1	FT-PP36-XXX	2500	0.5	Aesthetic Chlorine, Nominal Particulate Class I, Taste and Odor, Asbestos, Cyst
Waterlogic 10" CBC 1 micron	FT-PP30-YW-XXX 1	FT-PP36-XXX	2500	0.5	Aesthetic Chlorine, Nominal Particulate

Cyst Reduction and Scale Inhibitor Filter					Class I, Taste and Odor, Asbestos, Cyst
Waterlogic 10" CBC 1 micron Cyst Reduction and Scale Inhibitor Filter	FT-PP34-IL-XXX 1	FT-PP36-XXX	2500	0.5	Aesthetic Chlorine, Nominal Particulate Class I, Taste and Odor, Asbestos, Cyst
Waterlogic 10" CBC 1 micron Lead and Cyst Reduction and Scale Inhibitor Filter	FT-PP06-L00-XXX 1	FT-PP64-XXX	1250	0.5	Aesthetic Chlorine, Nominal Particulate Class I, Taste and Odor, Asbestos, Cyst, Lead
Waterlogic 10" CBC 1 micron Lead and Cyst Reduction and Scale Inhibitor Filter	FT-PP61-YW-XXX 1	FT-PP64-XXX	1250	0.5	Aesthetic Chlorine, Nominal Particulate Class I, Taste and Odor, Asbestos, Cyst, Lead
Waterlogic 10" CBC 1 micron Lead and Cyst Reduction and Scale Inhibitor Filter	FT-PP63-IL-XXX 1	FT-PP64-XXX	1250	0.5	Aesthetic Chlorine, Nominal Particulate Class I, Taste and Odor, Asbestos, Cyst, Lead
Waterlogic 10" CBC 1 micron Lead and Cyst Reduction and Scale Inhibitor Filter	FT-PP61-OM-XXX 1	FT-PP64-XXX	1250	0.5	Aesthetic Chlorine, Nominal Particulate Class I, Taste and Odor, Asbestos, Cyst, Lead
Waterlogic 10" CBC 10 Micron Carbon Filter	FT-0012-OM-XXX 1	FT-0007-XXX	2500	0.5	Aesthetic Chlorine, Nominal Particulate Class III, Taste and Odor
Waterlogic 10" CBC 10 Micron Carbon Filter	FT-0013-YW-XXX 1	FT-0007-XXX	2500	0.5	Aesthetic Chlorine, Nominal Particulate Class III, Taste and Odor
Waterlogic 10" CBC 10 Micron Carbon Filter	FT-0014-IL-XXX 1	FT-0007-XXX	2500	0.5	Aesthetic Chlorine, Nominal Particulate Class III, Taste and Odor
Waterlogic 10" CBC 10 micron Scale Inhibitor Filter	FT-PP01-L00-XXX 1	FT-PP07-XXX	2500	0.5	Aesthetic Chlorine, Nominal Particulate Class III, Taste and Odor
Waterlogic 10" CBC 10 micron Scale Inhibitor Filter	FT-PP12-OM-XXX 1	FT-PP07-XXX	2500	0.5	Aesthetic Chlorine, Nominal Particulate Class III, Taste and Odor
Waterlogic 10" CBC 10 micron Scale Inhibitor Filter	FT-PP13-YW-XXX 1	FT-PP07-XXX	2500	0.5	Aesthetic Chlorine, Nominal Particulate Class III, Taste and Odor
Waterlogic 10" CBC 10 micron Scale Inhibitor Filter	FT-PP14-IL-XXX 1	FT-PP07-XXX	2500	0.5	Aesthetic Chlorine, Nominal Particulate Class III, Taste and Odor
CUBE /	CUBE 1 /	FT-0001-L00-	2500	0.34	Aesthetic Chlorine,

Countertop	Countertop 1	WLT, CT-2090-X			Nominal Particulate Class III, Taste and Odor, Class A Disinfection, Bacteria, Virus
CUBE / Countertop	CUBE 1 / Countertop 1	FT-0004-L00- WLT, CT-2090-X	2500	0.34	Aesthetic Chlorine, Nominal Particulate Class I, Taste and Odor, Asbestos, Cyst, Class A Disinfection, Bacteria, Virus
CUBE / Countertop	CUBE 1 / Countertop 1	FT-0006-L00- WLT, CT-2090-X	1250	0.34	Aesthetic Chlorine, Nominal Particulate Class I, Taste and Odor, Asbestos, Cyst, Lead, Class A Disinfection, Bacteria, Virus
CUBE / Countertop	CUBE 2 / Countertop 2	FT-0003-L00- WLT, FT-0001-L00- WLT, CT-2090-X	2500	0.34	Aesthetic Chlorine, Nominal Particulate Class III, Taste and Odor, Class A Disinfection, Bacteria, Virus
CUBE / Countertop	CUBE 2 / Countertop 2	FT-0003-L00- WLT, FT-0004-L00- WLT, CT-2090-X	2500	0.34	Aesthetic Chlorine, Nominal Particulate Class I, Taste and Odor, Asbestos, Cyst, Class A Disinfection, Bacteria, Virus
CUBE / Countertop	CUBE 2 / Countertop 2	FT-0003-L00- WLT, FT-0006-L00- WLT, CT-2090-X	1250	0.34	Aesthetic Chlorine, Nominal Particulate Class I, Taste and Odor, Asbestos, Cyst, Lead, Class A Disinfection, Bacteria, Virus
CUBE / Countertop	CUBE 2 / Countertop 2	FT-0005-L00- WLT, FT-0001-L00- WLT, CT-2090-X	2500	0.34	Aesthetic Chlorine, Nominal Particulate Class III, Taste and Odor, Class A Disinfection, Bacteria, Virus
CUBE / Countertop	CUBE 2 / Countertop 2	FT-0005-L00- WLT, FT-0004-L00- WLT, CT-2090-X	2500	0.34	Aesthetic Chlorine, Nominal Particulate Class I, Taste and Odor, Asbestos, Cyst, Class A Disinfection, Bacteria, Virus
CUBE / Countertop	CUBE 2 / Countertop 2	FT-0005-L00- WLT, FT-0006-L00- WLT, CT-2090-X	1250	0.34	Aesthetic Chlorine, Nominal Particulate Class I, Taste and Odor, Asbestos, Cyst, Lead, Class A Disinfection, Bacteria, Virus

¹ Where "XXX" = any three letter customer code

² XXX denotes color

³ Performance claims are only certified when the system is used with Waterlogic International's jig assembly.

⁴ Free Standing and Mini Models Available

⁵ 'XXX' denotes MTA or may be blank

⁶ 'XXX' denotes COM, MTA, or may be blank

⁷ This model is available with either a phototransistor (European market) or UVC monitor (American market). For European market models that require a phototransistor monitor, the UV light bulb must be replaced every 6 months by the consumer, otherwise the certification is void.

This IAPMO R&T Listing is current as of 12/2/2020